

Emotional Control–Conditio Sine Qua Non for Advanced Artificial Intelligences?

Claudius Gros

Abstract. Humans dispose of two intertwined information processing pathways, cognitive information processing via neural firing patterns and diffusive volume control via neuromodulation. The cognitive information processing in the brain is traditionally considered to be the prime neural correlate of human intelligence, clinical studies indicate that human emotions intrinsically correlate with the activation of the neuromodulatory system.

We examine here the question: Why do humans dispose of the diffusive emotional control system? Is this a coincidence, a caprice of nature, perhaps a leftover of our genetic heritage, or a necessary aspect of any advanced intelligence, being it biological or synthetic?

We argue here that emotional control is necessary to solve the motivational problem, viz the selection of short-term utility functions, in the context of an environment where information, computing power and time constitute scarce resources.

1 Introduction

The vast majority of research in artificial intelligences is devoted to the study of algorithms, paradigms and philosophical implications of cognitive information processing, like conscious reasoning and problem solving [1]. Rarely considered is the motivational problem - a highly developed AI needs to set and select its own goals and tasks autonomously.

We believe that it is necessary to consider the motivational problem in the context of the observation that humans are infused with emotions, possibly to a greater extent than any other species [2]. Emotions play a very central role in our lives, in literature and human culture in general. Is this predominance of emotional states a coincidence, a caprice of nature, perhaps a leftover from times when we were still ‘primitives and brutes’, or perhaps a necessary aspect of any advanced intelligence?

Claudius Gros

Institute for Theoretical Physics, Goethe University Frankfurt

e-mail: gros07@itp.uni-frankfurt.de

The motivational problem is about the fundamental conundrum that all living intelligences face. From the myriads of options and behavioral strategies it needs to select a single route of action at any given time. These decisions are to be taken considering three limited resources, the information disposed of about the present and the future state of the world, the time available to take the decision and the computational power of its supporting hard- or wetware. Here we argue that emotional control is deeply entwined with both short- and long-term decision making and allows to compute in real time approximate solutions to the motivational problem.

When considering the relation between emotional control and the motivational problem one needs to discuss the nature of non-biological intelligences for which this issue is of relevance. We believe that, in the long term, there will be two major developmental tracks in AI research - focused artificial intelligences and organismic universal synthetic intelligences. We believe that the emotional control constitutes an inner core functionality for any universal intelligence and not a secondary addendum.

2 Intelligent Intelligences

We start with some terminology and a loose categorization of possible forms of intelligence.

Focused Artificial Intelligences. We will use the term *focused AI* for what constitutes today's mainstream research focus in artificial intelligence and robotics. These are highly successful and highly specialized algorithmic problem solvers like the chess playing program Deep Blue [8], the DARPA-like autonomous car driving systems [9] and Jeopardy software champion Watson [10].

Focused artificial intelligences are presently the only type of artificial intelligences suitable for commercial and real-world applications. In the vast majority of today's application scenarios a focused intelligence is exactly what is needed, a reliable and highly efficient solution solver or robotic controller.

Focused AIs may be able to adapt to changing demands and have some forms of built-in, application specific learning capabilities. They are however characterized by two features.

- Domain specificity. A chess playing software is not able to steer a car. It is much more efficient to develop two domain specific softwares, one for chess and one for driving, than to develop a common platform.
- Maximal a priori information. The performance real-world applications are generally greatly boosted when incorporating a maximal amount of a priori information into the architecture. Deep Blue contains the compressed knowledge of hundreds of years of human chess playing, the DARPA racing car software the Newton laws of motion and friction, the algorithms do not need to discover and acquire this knowledge from proper experiences.

Focused AI sees a very rapid development, increasingly driven by commercial applications. They will become extremely powerful within the next decades and it is

questionable whether alternative forms of intelligences, whenever they may be available in the future, will ever be able to compete with focused AI on economical grounds. It may very well be, though difficult to foretell, that focused AI will always yield a greater return on investment than more general types of intelligences with their motivational issues.

Synthetic Intelligences. The term ‘artificial intelligence’ has been used and abused in myriads of ways over the past decades. It is standardly in use for mainstream AI research, or focused AI as described above. We will use here the term *synthetic intelligence* for alternative forms of intelligences, distinct from today's mainstream route of AI and robotics research.

Universal Intelligences. It is quite generally accepted that the human brain is an exemplification of ‘universal’ or ‘generic’ intelligence. The same wetware and neural circuitry can be used in many settings - there are no new brain protuberances being formed when a child learns walking, speaking, operating his fairy-tale player or the alphabet at elementary school. There are parts of the brain more devoted to visual, auditory or linguistic processing, but rewiring of the distinct incoming sensory data streams will lead to reorganization processes of the respective cortical neural circuitry allowing it to adapt to new tasks and domains.

The human brain is extremely adaptive, a skilled car driver will experience, to a certain extent, its car as an extension of his own body. A new brain-computer interference, when available in the future, will be integrated and treated as a new sensory organ, on equal footing with the biological pre-existing senses. Human intelligence is to a large extent not domain specific, its defining trait is universality.


Organismic Intelligences. An ‘organismic intelligence’ is a real-world or simulated robotic system which has the task to survive. It is denoted *organismic* since the survival task is generically formulated as the task to keep the support unit, the body, functional [3, 4].

Humans are examples of organismic intelligences. An organismic synthetic intelligence may be universal, but not necessarily. The term ‘organismic’ is not to be confused with ‘embodiment’. Embodied AI deals with the question whether considering the physical functionalities of robots and bodies is helpful, or even essential, for the understanding of cognitive information processing and intelligence in general [5, 6, 7].

Cognitive System. The term ‘cognitive system’ is used in various ways in the literature, mostly as a synonym for a cognitive architecture, viz for an information processing domain-specific software. I like to reserve the term *cognitive system* for an intelligence which is both universal and organismic, may it be biological or synthetic.

Humans are biological cognitive systems in this sense and most people would expect, one can however not foretell with certainty, that ‘true’ or ‘human level AI’ would eventually be realized as synthetic cognitive systems. It is an open and unresolved question, as a matter of principle, whether forms of human level AI which are not cognitive systems in above sense, are possible at all.

Fig. 1 Illustration of the (hypothetical) complexity conundrum, which regards the speculation that the mental capabilities of biological or synthetic intelligences (right) might be systematically too low to fully understand the complexity of their own supporting cognitive architectures (left). In this case the singularity scenario would be void.



Human Level Artificial Intelligences. An ultimate goal of research in artificial and synthetic intelligences is to come up with organizational principles for intelligences of human or higher level. How and when this goal will be achieved is presently in the air, a few aspects will be discussed in the next section. This has not precluded an abundance of proposals on how to test for human-level intelligences, like the Turing test [11] or the capability to perform scientific research. Some people believe that human intelligence will have been achieved when we do not notice it.

The Complexity Conundrum. Regarding the issue when and how humanity will develop human level intelligences we discuss here shortly the possible occurrence of a ‘complexity paradox’, for which we will use the term *complexity conundrum*.

Every intelligence arises from a highly organized soft- or wetware. One may assume, though this is presently nothing more than a working hypothesis, that more and more complex brains and software architectures are needed for higher and higher intelligences. The question is then, whether a brain with a certain degree of complexity will give rise to a level of intelligence capable to understand its own wetware, compare Fig. 1. It may be, as a matter of principle, that the level of complexity a certain level of intelligence is able to handle is always below the level of complexity of its own supporting architecture.

This is really a handwaving and rather philosophical question with many open ends. Nevertheless one may speculate whether the apparent difficulties of present-day neuroscience research to carve out the overall working principles of the brain may be in part due to a complexity conundrum. Equivalently, considering the successes and the failures of over half a century of AI research, our present near-to complete ignorance of the overall architectural principles necessary for the development of eventual human level AI may be routed similarly in either a soft or a strong version of the complexity conundrum.

The complexity conundrum would however not, even if true, preclude humanity to develop human level artificial or synthetic intelligences in the end. As a last resort one may proceed by trial and error, viz using evolutionary algorithms, or via brute force reverse engineering, if feasible. The notion of a complexity conundrum is relevant also to the popular concept of a singularity, a postulated runaway self




Fig. 2 Mainstream architecture for a hypothetical human-level artificial intelligence. The motivational problem would be delegated to a secondary level responsible of selecting appropriate modules for problems and tasks which are not autonomously generated but presumably presented to the AI by human supervisors. Higher cognitive states like consciousness are sometimes postulated to emerge spontaneously with raising complexity from self-organizational principles, emotional control is generically regarded as a later-stage add-on, if at all.

improving circle of advanced intelligences [12] [13]. The complexity conundrum, if existing in any form, would render the notion of a singularity void, as it would presumably apply to intelligences at all levels.

3 Routes to Intelligence

There are presently no roadmaps, either individually proposed or generally accepted, for research and development plans leading to the ultimate goal of highly advanced intelligences. Nevertheless there are two main, conceptually distinct, approaches.

3.1 From Focused to General Intelligence?

The vast majority of present-day research efforts is devoted to the development of high-performing focused intelligences. It is to be expected that we will see advances, within the next decades, along this roadmap for hundreds and many more application domains.

There is no generally accepted blueprint on how to go beyond focused intelligences, a possible scenario is presented in Fig. 2. A logical next step would be to hook up a vast bank of specialized algorithms, the focused intelligences, adding a second layer responsible for switching between them. This second layer would then select the algorithm most appropriate for the problem at hand and could contain suitable learning capabilities.

This kind of selection layer constitutes a placebo for the motivational problem, the architecture presented in Fig. 2 would not be able to autonomously generate its own goals. This is however not a drawback for industrial and for the vast majority




Fig. 3 Architecture for biologically inspired universal synthetic intelligences, viz of cognitive systems. The basis would be given by a relatively small number of genetically encoded universal operating principles, with emotional control being central for the further development through self-organized learning processes. How consciousness would arise in this setting is not known presently, it is however regarded as a prerequisite for higher intellectual capabilities such as abstract reasoning and knowledge specialization.

of real-world applications, for which the artificial intelligence is expected just to efficiently solve problems and tasks presented to it by human users and supervisors.

In a third step it is sometimes expected that cognitive architectures may develop spontaneously consciousness with raising levels of complexity. This speculation, particularly popular with science-fiction media, is presently void of any supporting or contrarian scientific basis [14, 15]. Interesting is the tendency of mainstream AI to discuss emotions as secondary features, mostly useful to facilitate human-robot interactions [16]. Emotions are generically not attributed a central role in cognitive architectures withing mainstream AI.

One could imagine that the kind of cognitive architecture presented in Fig. 2 approaches, with the expansion of its basis of focused intelligences, step by step the goal of a universal intelligence able to handle nearly any conceivable situation. It is unclear however which will be the pace of progress towards this goal. It may be that progress will be initially very fast, slowing then however down substantially when artificial intelligence with elevated levels of intellectual capabilities have been successfully developed. This kind of incremental slowing-down is not uncommon for the pace of scientific progress in general. Life expectancy has been growing linearly, to give an example, over the last two centuries. The growth in life expectancy is extremely steady and still linear nowadays, despite very rapidly growing medical research efforts. Not only in economics, but also in science there are generic decreasing returns on growing investments. Similarly, vast increases in the number and in the power of the underlying array of focused intelligences may, in the end, lead to only marginal advances towards universality.

3.2 *Universal Learning Systems*

The only real-world existing example of an advanced cognitive system is the mammalian brain. It is hence reasonable to consider biologically inspired cognitive architectures. Instead of reverse engineering the human brain, one tries then to deeply understand the general working principles of the human brain.

There are good arguments that self-organization and general working principles are indeed dominant driving forces both for the development of the brain and for its ongoing functionality [17] [18]. Due to the small number of genes in the human genome, with every gene encoding only a single protein, direct genetic encoding of specific neural algorithms has either to be absent all together in the brain or be limited to only a very small number of vitally important features.

It is hence plausible that a finite number of working principles, possibly as small as a few hundred, may be enough for a basic understanding of the human brain, with higher levels of complexity arising through self-organization. Two examples for general principles are ‘slowness’ [19] for view-invariant object recognition and ‘universal prediction tasks’ [3] for the autonomous generation of abstract concepts.

Universality, in the form of operating principles, lies therefore at the basis of highly developed cognitive systems, compare Fig. 3. This is in stark contrast to mainstream AI, where universality is regarded as the long-term goal, to be reached when starting from advanced focused intelligences.

One of the genetically encoded control mechanisms at the basis of a cognitive system is emotional control, which we will discuss in more detail in the next section. Emotional control is vitally important for the functioning of a universal learning system, and not a secondary feature which may be added at a later stage.

- Learning. In the brain two dominant learning mechanisms are known. Hebbian-type synaptic plasticity which is both sub-conscious and automatic, and reward-induced learning, with the rewards being generated endogenously through the neuromodulatory control system, the later being closely associated with the experience of motions.
- Goal selection. Advanced cognitive systems are organismic and hence need to constantly select their short- and long term goals autonomously, with emotional weighing of action alternatives playing a central role.

It is not a coincidence, that the emotional control system is relevant for above two functionalities, which are deeply inter-dependent. There can be no efficient goal selection without learning from successes and failure, viz without reward induced learning processes.

4 Emotional Control

Emotions are neurobiologically not yet precisely defined. There are however substantial indications from clinical studies that emotions are intrinsically related to either the tonic or the phasic activation of the neuromodulatory system [22]. For this reason we will denote the internal control circuit involving neuromodulation,




Fig. 4 Fast and slow variables have distinct functionalities in the brain, with the operating modus (mood) being set by the slow variables and the actual cognitive processes, which are either input induced or autonomous [20, 21], being performed by the fast variables. The adaptation of the slow variables (metalearning) is the task of the diffusive neuromodulatory system (emotional control).

compare Fig. 4 *emotional control*. We will also use the expression *diffusive emotional control* since neuromodulation acts as a diffusive volume effect.

One needs to differentiate between the functionality of emotions in the context of cognitive system theory, discussed here, and the experience (the qualia) of emotions. It is presently an open debate whether the body is necessary for the experience of emotions and moods, which may be induced by the proprioceptual sensing of secondary bodily reactions [23]. The origin of emotional experience is not subject of our deliberations.

4.1 Neuromodulation and Metalearning

Animals dispose of a range of operating modi, which one may identify with moods or emotional states. A typical example of a set of two complementary states is exploitation vs. exploration: When exploitive the animal is focused, concentrated on a given task and decisive. In the explorative state the animal is curious, easily distracted and prone to learn about new aspects of his environment. These moods are induced by the tonic, respectively the phasic activation of the neuromodulatory system [24], the main agents being Dopamine, Serotonin, Norepinephrine and Acetylcholine.

When using the language of dynamical system theory we can identify the task of the neuromodulatory system with metalearning [25]. Any complex system disposes of processes progressing on distinct time scales. There may be in principle a wide

range of time scales, the simplest classification is to consider slow and fast processes driven respectively by slow and fast variables.

Cognitive information processing is performed in the brain through neural firing and synaptic plasticity, corresponding to the fast variables in terms of dynamical system theory [3]. The general operating modus of the neural circuitry, like the susceptibility to stimuli, the value of neural thresholds or the pace of synaptic plasticities are slow degrees of freedom. The adaptation of slow degrees of freedom to changing tasks is the realm of metalearning, which in the brain is preformed through the neuromodulatory system, compare Fig. 4.

Metalearning is a necessary component of any complex dynamical system and hence also for any evolved synthetic or biological intelligence. It is therefore not surprising that the human brain disposes of a suitable mechanism. Metalearning is also intrinsically diffusive, as it involves the modulation not of individual slow variables, metalearning is about the modulation of the operating modus of entire dynamical subsystems. It is hence logical that the metalearning circuitry of the brain involves neuromodulatory neurons which disperse their respective neuromodulators, when activated, over large cortical or subcortical areas, modulating the behavior of downstream neural populations in large volumes.

An interesting and important question regards the guiding principles for metalearning. An animal has at its disposal a range of distinct behaviors and moods, foraging, social interaction, repose, exploration, and so on. Any cognitive system is hence faced with a fundamental time allocation problem, what to do over the course of the day. The strategy will in general not be to maximize time allocation of one type of behavior, say foraging, at the expense of all others, but to seek an equilibrated distribution of behaviors. This guiding principle of metalearning has been denoted 'polyhomeostatic optimization' [26].

4.2 *Emotions and the Motivational Problem*

It is presently unclear what distinguishes metalearning processes which are experienced as emotional from those which are unconscious and may hence be termed 'neutral'. It has been proposed that the difference may be that emotional control has a preferred level of activation, neutral control not [27, 28]. When angry one generally tries behavioral strategies aimed at reducing the level of anger and internal rewards are generated when successful. In this view emotional control is intrinsically related to behavior and learning, in agreement with neuro-psychological observations [24, 2, 29].

Emotional states induce, quite generically, problem solving strategies. The cognitive system either tries to stay in its present mood, in case it is associated with positive internal rewards, or looks for ways to remove the causes for its current emotional state, in case it is associated with negative internal rewards. Emotional control hence represents a way, realized in real-world intelligences, to solve the motivational problem, determining the utility function the intelligence tries to optimize at any given point of time.

A much discussed alternative to emotional control is straightforward maximization of an overall utility function [30]. This paradigm is highly successful when applied to limited and specialized tasks, like playing chess, and is as such important for any advanced intelligence. Indeed we argue that emotional control determines the steady-state utility function. As an example consider playing chess. Your utility function may either consist in trying to beat the opponent chess player or to be defeated by your opponent (in a non-so-evident way) when playing together with your son or daughter. These kinds of utility functions are shaped in real life by our emotional control mechanisms.

It remains however doubtful whether it would be possible to formulate an overall, viz a long-term utility function for a universal intelligence and to compute in real time its gradients. Even advanced hyper-intelligences will dispose of only an exponentially small knowledge about the present and the future state of the world, prediction tasks and information acquisition is generically NP-hard (non-polynomial) [31 32 33]. Time and computing power (however large it may be) will forever remain, relatively seen, scarce resources. It is hence likely that advanced artificial intelligences will be endowed with ‘true’ synthetic emotions, the perspective of a hyper-intelligent robot waiting emotionless in its corner, until its human boss calls him to duty, seems implausible [34 35 36 37].

Any advanced intelligence needs to be a twofold universal learning system. The intelligent system needs to be on one side able to acquire any kind of information in a wide range of possible environments and on the other side to determine autonomously what to learn, viz solve the time allocation problem. The fact that both facets of learning are regulated through diffusive emotional control in existing advanced intelligences suggests that emotional control may be a *conditio sine qua non* for any, real-world or synthetic, universal intelligence.

5 Hyper-Emotional Trans-Human Intelligences?

Looking around at the species on our planet one may surmise that increasing cognitive capabilities go hand in hand with rising complexity and predominance of emotional states [2]. The rational is very straightforward. An animal with say only two behavioral patterns at its disposition, e.g. sleeping and foraging, does not need dozens of moods and emotions, in contrast to animals with a vast repertoire of potentially complex behaviors.

This observation is consistent with the theory developed here, that metalearning as a diffusive emotional control system is a necessary component for any synthetic and biological intelligence. It is also plausible that the complexity the metalearning control needs to increase adequately with increasing cognitive capacities.

It is hence amusing to speculate, whether synthetic intelligences with higher and higher cognitive capabilities may also become progressively emotional. Super-human intelligences would then also be hyper-emotional. An outlook in stark contrast to the mainstream view of hyper-rational robots, which presumes that emotional states will be later-stage addendums to high performing artificial intelligences.

Acknowledgements. I acknowledge lively discussions and feedback at the conference on the Philosophy and Theory of Artificial Intelligence, PT-AI, Thessaloniki, October 3-4 (2011).

References

1. Russell, S.J., Norvig, P.: *Artificial intelligence: a modern approach*. Prentice-Hall (2010)
2. Dolan, R.J.: Emotion, cognition, and behavior. *Science* 298, 1191 (2002)
3. Gros, C.: *Complex and Adaptive Dynamical Systems, A Primer*. Springer (2008); 2nd edn. (2010)
4. Di Paolo, E.: Organismically-inspired robotics: Homeostatic adaptation and natural teleology beyond the closed sensorimotor loop. In: Murase, K., Asakura, T. (eds.) *Dynamical Systems Approach to Embodiment and Sociality*, pp. 19–42. *Advanced Knowledge International* (2003)
5. Anderson, M.L.: Embodied cognition: A field guide. *Artificial Intelligence* 149, 91–130 (2003)
6. Pfeifer, R., Bongard, J., Grand, S.: *How the body shapes the way we think: a new view of intelligence*. MIT Press (2007)
7. Froese, T., Ziemke, T.: Enactive artificial intelligence: Investigating the systemic organization of life and mind. *Artificial Intelligence* 173, 466–500 (2009)
8. Campbell, M.: Deep Blue. *Communications of the ACM* 42, 65 (1999)
9. Thrun, S.: Winning the DARPA Grand Challenge. In: Fürnkranz, J., Scheffer, T., Spiliopoulou, M. (eds.) *ECML 2006. LNCS (LNAI)*, vol. 4212, p. 4. Springer, Heidelberg (2006)
10. Ferrucci, D., et al.: Building Watson: An overview of the DeepQA project. *AI Magazine* 31, 59–79 (2010)
11. Turing, A.: Can machines think? *Mind* 59, 433–460 (1950)
12. Vinge, V.: *The coming technological singularity*. Feedbooks (1993)
13. Chalmers, D.: The Singularity: A philosophical analysis. *Journal of Consciousness Studies* 17, 7–65 (2010)
14. Tononi, G., Edelman, G.M.: Consciousness and complexity. *Science* 282, 1846 (1998)
15. Koch, C., Laurent, G.: Complexity and the nervous system. *Science* 284, 96 (1999)
16. Vallverdu, J., Casacuberta, D. (eds.): *Handbook of Research on Synthetic Emotions and Sociable Robotics: New Applications in Affective Computing and Artificial Intelligence*. IGI-Global (2009)
17. Kohonen, T.: Self-organized formation of topologically correct feature maps. *Biological Cybernetics* 43, 59–69 (1982)
18. Haken, H.: Self-organization of brain function. *Scholarpedia* 3, 2555 (2008)
19. Földiák, P.: Learning invariance from transformation sequences. *Neural Computation* 3, 194–200 (1991)
20. Gros, C.: Cognitive computation with autonomously active neural networks: An emerging field. *Cognitive Computation* 1, 77–99 (2009)
21. Gros, C., Kaczor, G.: Semantic learning in autonomously active recurrent neural networks. *Logic Journal of IGP* 18, 686 (2010)
22. Fellous, J.M.: Neuromodulatory basis of emotion. *The Neuroscientist* 5, 283 (1999)
23. Barrett, L.F., Mesquita, B., Ochsner, K.N., Gross, J.J.: The experience of emotion. *Annual Review of Psychology* 58, 373 (2007)
24. Krichmar, J.L.: The neuromodulatory system: A framework for survival and adaptive behavior in a challenging world. *Adaptive Behavior* 16, 385 (2008)
25. Doya, K.: Metalearning and neuromodulation. *Neural Networks* 15, 495–506 (2002)

26. Markovic, D., Gros, C.: Self-organized chaos through polyhomeostatic optimization. *Physical Review Letters* 105, 068702 (2010)
27. Gros, C.: Emotions, diffusive emotional control and the motivational problem for autonomous cognitive systems. In: Vallverdu, J., Casacuberta, D. (eds.) *Handbook of Research on Synthetic Emotions and Sociable Robotics: New Applications in Affective Computing and Artificial Intelligence*. IGI-Global (2009)
28. Gros, C.: Cognition and Emotion: Perspectives of a Closing Gap. *Cognitive Computation* 2, 78 (2010)
29. Baumeister, R.F., Vohs, K.D., Nathan DeWall, C.: How emotion shapes behavior: Feedback, anticipation, and reflection, rather than direct causation. *Personality and Social Psychology Review* 11, 167 (2007)
30. Hutter, M.: *Universal artificial intelligence: Sequential decisions based on algorithmic probability*. Springer (2005)
31. Chickering, D.M., Heckerman, D., Meek, C., Madigan, D.: Learning Bayesian networks is NP-hard, Microsoft Research, TechReport MSR-TR-94-17 (1994)
32. Nikoloski, Z., Grimbs, S., May, P., Selbig, J.: Metabolic networks are NP-hard to reconstruct. *Journal of Theoretical Biology* 254, 807–816 (2008)
33. Sieling, D.: Minimization of decision trees is hard to approximate. *Journal of Computer and System Sciences* 74, 394–403 (2008)
34. Arbib, M.A., Fellous, J.M.: Emotions: from brain to robot. *Trends in Cognitive Sciences* 8, 554–561 (2004)
35. Ziemke, T.: On the role of emotion in biological and robotic autonomy. *BioSystems* 91, 401–408 (2008)
36. Ziemke, T., Lowe, R.: On the role of emotion in embodied cognitive architectures: From organisms to robots. *Cognitive Computation* 1, 104–117 (2009)
37. Parisi, D., Petrosino, G.: Robots that have emotions. *Adaptive Behavior* 18, 453 (2010)